This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

In the Claims

Applicant has submitted a new complete claim set showing marked up claims with insertions indicated by underlining and deletions indicated by strikeouts.

Please amend pending claims 1 and 27-37 as noted below. Please add new claim 38. No new matter has been added.

1. (Currently amended) Packaging for holding a pan and a cover together, the packaging comprising:

an elongated sheet having a first part of the sheet secured to a second part of the sheet;

a first panel and a second panel provided between the secured first and second parts of the sheet and adapted to be spaced from one another to form a loop <u>having a loop opening</u> to accommodate a cover of a pan therebetween;

a first hole located in the first panel adapted to receive a handle of a cover; and a second hole located in a portion of the sheet and adapted to receive a handle of a pan; wherein a length of the loop opening is greater than a width of the elongated sheet.

- 2. (Original) The packaging of claim 1, wherein the first hole is substantially centered on the first panel.
 - 3. (Original) The packaging of claim 1, wherein the first hole is substantially round.
- 4. (Original) The packaging of claim 1, further comprising at least one flap extending from a perimeter of the first hole.
- 5. (Original) The packaging of claim 1, further comprising flaps formed substantially surrounding a perimeter of the first hole.
- 6. (Original) The packaging of claim 1, wherein the portion of the sheet is a separate piece attached to the sheet.

. .

7. (Original) The packaging of claim 6, wherein the portion is attached to the sheet with adhesive.

- 8. (Original) The packaging of claim 1, further comprising two opposed ends of the sheet, wherein the two opposed ends are the secured first and second parts of the sheet.
- 9. (Original) The packaging of claim 8, wherein the second hole is formed from two aligned holes one provided adjacent each opposed end of the sheet.
- 10. (Original) The packaging of claim 8, wherein the second hole is defined by the secured opposed ends forming the portion of the sheet.
- 11. (Original) The packaging of claim 8, wherein the second hole is provided adjacent the secured opposed ends.
- 12. (Original) The packaging of claim 1, further comprising a first surface, a second surface and two opposed ends of the sheet, with the secured parts of the sheet including the first opposed end secured at a point on the first surface and removed from the second opposed end.
- 13. (Original) The packaging of claim 12, wherein the first end has a top and bottom surface and the top surface of the first end is secured to the first surface to form the loop.
- 14. (Original) The packaging of claim 12, wherein the first end has a top and bottom surface and the bottom surface of the first end is secured to the first surface to form the loop.
- 15. (Original) The packaging of claim 12, wherein the second hole is provided on the portion of the sheet between the second end of the sheet and the first and second panels.
- 16. (Original) The packaging of claim 1, wherein the sheet is substantially rectangular.

17. (Original) The packaging of claim 1, further comprising two opposed ends of the sheet, wherein the second hole is provided adjacent at least one end of the sheet.

- 18. (Original) The packaging of claim 1, wherein the first and second parts are affixed to each other with adhesive.
- 19. (Original) The packaging of claim 1, wherein the first and second parts are affixed to each other with at least one staple.
- 20. (Original) The packaging of claim 1, further comprising at least one flap provided adjacent a perimeter of the second hole.
- 21. (Original) The packaging of claim 1, wherein the second hole is substantially rectangular.
- 22. (Original) The packaging of claim 21, further comprising two flaps provided on opposite sides of the rectangular second hole.
- 23. (Original) The packaging of claim 1, further comprising at least one fold provided between the first panel and the second panel of the sheet.
 - 24. (Original) The packaging of claim 1, further comprising: at least four folds provided on the sheet.
- 25. (Original) The packaging of claim 24, wherein at least one fold is provided on the sheet between the first and second parts of the sheet.
- 26. (Original) The packaging of claim 1, wherein the first panel of the sheet is longer than the second panel of the sheet.

27. (Currently amended) Packaging for holding a pan and a cover of the pan together, in combination with the cover of the pan, the packaging combination comprising:

a cover of a pan;

a sheet having:

a first part secured to a second part;

a first panel and a second panel provided between secured first and second parts of the sheet and adapted to be spaced from one another to form a loop to accommodate [[a]] the cover of [[a]] the pan therebetween; and

a hole located in a portion of the sheet and adapted to receive a handle of [[a]] the pan.

- 28. (Currently amended) The packaging combination of claim 27, wherein the portion of the sheet is a separate piece attached to the sheet.
- 29. (Currently amended) The packaging combination of claim 27, wherein sheet is formed of multiple pieces.
- 30. (Currently amended) The packaging combination of claim 27, wherein the sheet has two opposed ends, and the two opposed ends are the secured first and second parts of the sheet.
- 31. (Currently amended) The packaging combination of claim 30, wherein the hole is defined by the two secured opposed ends forming the portion of the sheet.
- 32. (Currently amended) The packaging combination of claim 30, wherein the hole is provided adjacent the secured opposed ends.
- 33. (Currently amended) The packaging combination of claim 27 wherein the hole is substantially rectangular.

Serial No.: 10/023,209 Art Unit: 3712

34. (Currently amended) The packaging combination of claim 27, further comprising:

at least one fold provided between the first panel and second panel of the sheet.

35. The packaging combination of claim 27, further (Currently amended) comprising:

at least four folds provided on the sheet.

The packaging combination of claim 27, further 36. (Currently amended) comprising:

a second hole provided on the first panel of the sheet for accommodating a cover handle of [[a]] the cover.

(Original) A method of removably holding a pan and cover together, the method 37. comprising the steps of:

providing a packaging having a sheet with a portion having a hole and a first part secured to a second part;

expanding the packaging to form a loop;

inserting a cover of a pan within the loop;

inserting a handle of a pan within the hole provided on the portion of the sheet, such that the cover is removably secured to the pan.

38. Packaging for holding a pan and a cover together, the packaging (New) comprising:

an elongated sheet having a first part of the sheet secured to a second part of the sheet, and further having two opposed ends of the elongated sheet;

a first panel and a second panel provided between the secured first and second parts of the sheet and adapted to be spaced from one another to form a loop to accommodate a cover of a pan therebetween;

a first hole located in the first panel adapted to receive a handle of a cover; and a second hole located in a portion of the sheet and adapted to receive a handle of a pan; wherein

the second hole is provided by two at least partially overlapping holes, one hole present in each of the two opposed ends of the elongated sheet within at least one end of the elongated sheet.